



**NEW  
MACHINES!**



**MOYER  
DIEBEL**<sup>®</sup>  
*Simply Engineered Better*



# Glasswashing



# Warewashing

**PRICE SCHEDULE**

**Effective May 1, 2011**



3765 Champion Boulevard  
 Winston-Salem, NC 27105  
 Tel: 336/661-1992  
 Fax: 336/661-9546  
 www.moyerdiebel.com

# Undercounter Machines

**Price Schedule** Effective May 1, 2011 Supersedes all previous lists

## Undercounter Machine

### 351

- 351HT High Temp., 40°F Rise w/built-in Booster, Fresh Water Rinse**  
 Voltage: 208-240/60/1. Approx. Ship Wt.: 165 lbs. . . . . \$ 5,025
- 351HT High Temp., 70°F Rise w/built-in Booster, Fresh Water Rinse**  
 Voltage: 208-240/60/1. Approx. Ship Wt.: 165 lbs. . . . . \$ 5,250

### 201

- 201HT High Temp., 40°F Rise w/built-in Booster, Fill and Dump**  
 Voltage: 208-240/60/1. Approx. Ship Wt.: 198 lbs. . . . . \$ 5,525
- 201HT High Temp., 70°F Rise w/built-in Booster, Fill and Dump**  
 Voltage: 208-240/60/1. Approx. Ship Wt.: 198 lbs. . . . . \$ 5,870
- 201LT Low Temp. without booster, Fill and Dump**  
 Voltage: 115/60/1. Approx. Ship Wt.: 165 lbs, NEMA 5-15P. . . . . \$ 5,095

### Undercounter Options & Accessories

- 17RS 17" Rack Storage Stand** Approx. Ship Wt.: 42 lbs. . . . . \$ 890
- 6T 6" Stand** Approx. Ship Wt.: 9 lbs. . . . . \$ 475
- Drain Water Tempering Kit** . . . . . \$ 560
- UDT Undercounter Dishtable without Cabinet**  
 Approx. Ship Wt.: 95 lbs. . . . . \$ 1,680
  - Right to left sink direction
  - Left to right sink direction
- CST Undercounter Dishtable with Cabinet**  
 Approx. Ship Wt.: 167 lbs. . . . . \$ 2,965
  - Right to left sink direction
  - Left to right sink direction
- CST Sprayhose** Approx. Ship Wt.: 182 lbs. . . . . \$ 565
- 1" Roller Kit** Approx. Ship Wt.: 10 lbs. . . . . \$ 185
- Low Chemical Alarm** (Factory installation at time of order)  
 Set of 2 for detergent & sanitizer pumps . . . . . \$ 700
- 3 Phase Wiring** (Pre-wired at Factory)(201 Model Only) . . . . . \$ 250
- 50 Cycle** (351HT) . . . . . \$ 400
- Site Glass Kit** (glasswashers only) . . . . . \$ 150
- Extended Warranty** . . . . . **Contact Factory**




351HT



**351HT Standard Features**

- ENERGY STAR® Qualified
- Rinse sentry feature - Ensures proper 180°F final rinse temperature
- Counter-balanced, double skin door
- Clog-resistant filtering system
- Stainless steel rinse-arms with removable end caps
- Pumped drain
- Liquid detergent and rinse-aid dispensing pumps
- Top, side and rear panels
- 2 kW tank heater
- Flexible fill and drain
- Pressure regulating valve
- Top mounted detergent and rinse-aid prime switches
- Low 0.85 US gal. water usage per rack
- Energy efficient - 30 Amp. breaker for 40°F rise (40 Amp. breaker for 70°F rise)
- 120-second cycle time. 24 racks per hour capacity



201HT

**201HT Standard Features**

- New multi-phase allows for in-field conversion from single to three phase, In-field conversions should be provided by a qualified electrician.
- Rinse Sentry ensures 180°F final rinse
- Built-in booster
- Pumped drain
- Detergent and rinse aid pumps
- 15-3/4" door opening
- Wash tank heater
- Fully automatic wash/rinse cycle
- Upper and lower interchangeable wash/rinse arms
- Stainless steel top and side panels



NON-STANDARD VOLTAGES: Contact Factory for availability and price.

To Order Call 800/228-8350 • Fax 336 / 661-9546 • www.moyerdiebel.com





3765 Champion Boulevard  
Winston-Salem, NC 27105  
Tel: 336/661-1992  
Fax: 336/661-9546  
www.moyerdiebel.com

# Batch, DF & SW Series Glasswashers

**Price Schedule** Effective May 1, 2011 Supersedes all previous lists

## Glasswashers

### Batch Glasswasher

- MD240HT** Voltage: 208-240/60/1  
Approx. Ship Wt.: 198 lbs., . . . . . **\$ 7,200**
- MD240LT** Voltage: 120/60/1  
Approx. Ship Wt.: 198 lbs., . . . . . **\$ 6,850**

### DF Series

- DF Rotary Glasswasher**  
Voltage: 208-240/60/1. Approx. Ship Wt.: 204 lbs, NEMA 6-15P. . . . **\$ 7,930**

### SW Series

- SW400R RH Loading 4' Glasswasher**  
Voltage: 208-240/60/1. Approx. Ship Wt.: 227 lbs, NEMA 6-15P. . . . **\$ 13,975**
- SW400L LH Loading 4' Glasswasher**  
Voltage: 208-240/60/1. Approx. Ship Wt.: 227 lbs, NEMA 6-15P. . . . **\$ 13,975**
- SW600R RH Loading 6' Glasswasher**  
Voltage: 208-240/60/1. Approx. Ship Wt.: 297 lbs, NEMA 6-15P. . . . **\$ 14,935**
- SW600L LH Loading 6' Glasswasher**  
Voltage: 208-240/60/1. Approx. Ship Wt.: 297 lbs, NEMA 6-15P. . . . **\$ 14,935**

### Options & Accessories

- \*SW47 Drain Tray & Waste Collector** Approx. Ship Wt.: 2 lbs (SW only). **\$ 275**
- Kit 264 Washdown Hose** Approx. Ship Wt.: 4 lbs. . . . . **\$ 265**
- \*DF72A Drain Tray & Waste Collector**  
Approx. Ship Wt.: 8 lbs (DF only). . . . . **\$ 375**
- SW12 Stainless Steel Splash Guards** (SW only)  
Set of 2. For SW400. Shipped with Machine. . . . . **\$ 265**
- SW24 Stainless Steel Splash Guards** (SW only)  
Set of 2. For SW600. Shipped with Machine. . . . . **\$ 300**
- SW48 Stainless Steel Back Panel** (SW400) Shipped w/Machine . . . . . **\$ 475**
- SW72 Stainless Steel Back Panel** (SW600) Shipped w/Machine . . . . . **\$ 535**
- Kit 332 Set of 4 Casters**  
2 locking, 2 stationary. Approx. Ship Wt.: 5 lbs. . . . . **\$ 645**
- Quick Disconnect Package**  
Includes casters. Approx. Ship Wt.: 10 lbs. . . . . **\$ 860**
- SW46C Hand Sink & Wet Waste Receiver with Legs**  
Approx. Ship Wt.: 54 lbs. . . . . **\$ 1,915**
- Low Chemical Alarm** Set of 2 for detergent & sanitizer pumps (DF, MD240) **\$ 700**
- 50 Cycle** (SW only) . . . . . **No Charge**
- Site Glass Kit** (LT models). . . . . **\$ 150**
- Extended Warranty**. . . . . **Contact Factory**

Warranty: One (1) year parts – 90 days labor, \*one year labor if Drain Tray and waste collector is purchased. (DF and SW only)

NOTE: Contact Factory for Cocktail Station information and pricing.

NON-STANDARD VOLTAGES: Contact Factory for availability and price.



### MD240 Standard Features


- ENERGY STAR® Qualified
- 90-second cycle
- 30 racks per hour
- 26.5" load height
- Cool final rinse (LT)
- Dual NSF listed as both glasswasher and dishwasher.

### DF Standard Features

- 12" Glass clearance
- Internal upper drain screen
- Self flushing wash chamber
- Cool fresh water rinse
- Approx. 1200, 2-1/2" glasses/hr.
- Start-up included

### SW Standard Features

- Fully automatic operation.
- 3 built-in chemical dispensers.
- 140°F wash
- Cool fresh water rinse
- Approx. 2000, 2-1/2" glasses/hr.
- Right to left or left to right operation
- Start-up included





Simply Engineered Better

3765 Champion Boulevard  
Winston-Salem, NC 27105  
Tel: 336/661-1992  
Fax: 336/661-9546  
www.moyerdiebel.com

# Door-type & Rack Conveyor Dishwashing Machines

Price Schedule Effective May 1, 2011 Supersedes all previous lists

## Door-type

- MD2000 – High Temp, Self Draining, Door-type Machine with Built-in Booster** Dual Voltage: 208-240. Dual Phase 1-3. Dual Booster Heater 40°F-70°F. Approx. Ship Wt.: 242 lbs. . . \$ 10,750



### MD2000 Standard Features



- ENERGY STAR® Qualified
- NEW Exclusive In-Field Convertible to
  - 208 OR 240 volt
  - Single OR three phase
  - Corner OR straight through operation
- NEW Exclusive Built-in booster configured for both 40° and 70° Rise



### Options & Accessories

- Side Panels** (Set of 2) . . . . . \$ 300
- Peg Rack** Approx. Ship Wt.: 7 lbs. . . . . \$ 90
- Flat Rack** Approx. Ship Wt.: 7 lbs. . . . . \$ 90
- Drain Watering Tempering Kit** (mounted) (MD2000) . . . . . \$ 1100
- Flanged Feet** (Set of 4) (MD2000) . . . . . \$ 240
- Factory Conversion** to corner operation. . . . . \$ 255
- Factory Prewire** for single phase . . . . . \$ 250



- MDHHB – High Temp, Extended Hood Door-type Warewasher with Built-in Booster** Approx. Ship Wt.: 400 lbs  
40°F Rise Electric Booster (208-240/60/1 or 3; 480/60/3) . \$ 17,632  
70°F Rise Electric Booster (208-240/60/3, 480/60/3) . . . \$ 18,072

- MDHH – High Temp, Extended Hood Door-type Warewasher without Built-in Booster** Dual Voltage: 208-240/60/1 or 3; 480/60/3  
Approx. Ship Wt.: 400 lbs. . . . . \$ 15,107

### Options & Accessories

- 70°F Rise Electric Booster** (MDHHB)
- Corner operation with 90° mounted controls** (MDHHB/MDHH) . . . \$ 225
- Sheet pan rack** (MDHHB/MDHH) . . . . . \$ 245
- Water pressure regulating valve** (unmounted) (MDHH only) . . . . \$ 250
- Drain water tempering kit** . . . . . \$ 860
- Extended Warranty** . . . . . Contact Factory

### MDHHB/MDHH Standard Features



- ENERGY STAR® Qualified
- Dual NSF listed as both dishwasher and Pot/Pan washer.
- Automatic tank fill.
- Electric tank heat (5.2 kW).



## Rack Conveyor



- MD44, 44" Single Tank, Electric Heat Rack Machine**  
Field Convertible Right to Left or Left to Right Operation  
Approx. Ship Wt.: 600 lbs. . . . . \$ 14,935
- MD66, 66" Single Tank with Prewash, Electric Heat Rack Machine**  
Approx. Ship Wt.: 800 lbs. . . . . \$ 22,725



### Rack Conveyor Standard Features



- ENERGY STAR® Qualified
- 216 racks per hour
- 144 gallons per hour/  
.66 gallons per rack
- Chemical connections
- Vent cowl
- Anti jam conveyor system
- Single point water and electrical connection



### Options & Accessories

- 40° Rise or 70° Rise Electric Booster** . . . . . \$ 3,800
- Table limit switch** . . . . . \$ 310
- Voltage 208/60/3** . . . . . No Charge
- Voltage 240/60/3** . . . . . No Charge
- Voltage 480/60/3** . . . . . \$ 400
- Vent Extenders** (Set of 2) . . . . . \$ 400
- Drain Watering Tempering Kit** (mounted) . . . . . \$ 1,100
- Pressure Relief Valve Unmounted** (Standard with Booster) . . . . \$ 250
- Flanged Feet** (Set of 4) . . . . . \$ 240
- MRA 90 - Automatic feeder and unloader** . . . . . \$ 7,050
- Copper drain assembly** . . . . . \$ 430
- Extended Warranty** . . . . . Contact Factory



To Order Call 800/228-8350 • Fax 336 / 661-9546 • www.moyerdiebel.com





3765 Champion Boulevard  
Winston-Salem, NC 27105  
Tel: 336/661-1992  
Fax: 336/661-9546  
www.moyerdiebel.com

**Price Schedule** Effective May 1, 2011 Supersedes all previous lists

# Limited Warranty

Moyer Diebel, P.O. Box 4183, Winston-Salem, North Carolina 27115, and P.O. Box 301, 2674 North Service Road, Jordan Station, Ontario, Canada L0R 1S0, warrants machines, and parts, as set out below.

**Warranty of Machines:** Moyer Diebel warrants all new machines of its manufacture bearing the name "Moyer Diebel" and installed within the United States and Canada to be free from defects in material and workmanship for a period of one (1) year after the date of installation or fifteen (15) months after the date of shipment by Moyer Diebel, whichever occurs first. (See below for special provisions relating to Model Series DF and SW.) The warranty registration card must be returned to Moyer Diebel within ten (10) days after installation. If warranty card is not returned to Moyer Diebel within such period, the warranty will expire after one year from the date of shipment.

Moyer Diebel will not assume any responsibility for extra costs for installation in any area where there are jurisdictional problems with local trades or unions.

If a defect in workmanship or material is found to exist within the warranty period, Moyer Diebel, at its election, will either repair or replace the defective machine or accept return of the machine for full credit; provided, however, as to Model Series DF and SW, Moyer Diebel's obligation with respect to labor associated with any repairs shall end (a) 120 days after shipment, or (b) 90 days after installation, whichever occurs first. In the event that Moyer Diebel elects to repair, the labor and work to be performed in connection with the warranty shall be done during regular working hours by a Moyer Diebel authorized service technician. Defective parts become the property of Moyer Diebel. Use of replacement parts not authorized by Moyer Diebel will relieve Moyer Diebel of all further liability in connection with its warranty. In no event will Moyer Diebel's warranty obligation exceed Moyer Diebel's charge for the machine.

The following are not covered by Moyer Diebel's warranty:

- a. Replacement of fuses or resetting of overload breakers.
- b. Adjustment of thermostats.
- c. Opening or closing of utility supply valves or switching of electrical supply current.
- d. Cleaning of valves, strainers, screens, nozzles, or spray pipes.
- e. Performance of regular maintenance and cleaning as outlined in operator's guide.
- f. Damages resulting from water conditions, accidents, alterations, improper use, abuse, tampering, improper installation, or failure to follow maintenance and operation procedures.

Examples of the defects not covered by warranty include, but are not limited to:

1. Damage to the exterior or interior finish as a result of the above.
2. Use with utility service other than that designated on the rating plate.
3. Improper connection to utility service.
4. Inadequate or excessive water pressure.
5. Corrosion from chemicals dispensed in excess of recommended concentrations.
6. Failure of electrical components due to connection of chemical dispensing equipment installed by others.
7. Leaks or damage resulting from such leaks caused by the installer, including those at machine table connections or by connection of chemical dispensing equipment installed by others.
8. Failure to comply with local building codes.
9. Damage caused by labor dispute.

**Warranty of Parts:** Moyer Diebel warrants all new machine parts produced or authorized by Moyer Diebel to be free from defects in material and workmanship for a period of 90 days from date of invoice. If any defect in material and workmanship is found to exist within the warranty period, Moyer Diebel will replace the defective part without charge.

## DISCLAIMER OF WARRANTIES AND LIMITATIONS OF LIABILITY

MOYER DIEBEL'S WARRANTY IS ONLY TO THE EXTENT REFLECTED ABOVE. MOYER DIEBEL MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY, OR FITNESS OF PURPOSE. MOYER DIEBEL SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. THE REMEDIES SET OUT ABOVE ARE THE EXCLUSIVE REMEDIES FOR ANY DEFECTS FOUND TO EXIST IN MOYER DIEBEL DISHWASHING MACHINES AND MOYER DIEBEL PARTS, AND ALL OTHER REMEDIES ARE EXCLUDED, INCLUDING ANY LIABILITY FOR INCIDENTALS OR CONSEQUENTIAL DAMAGES.

Moyer Diebel does not authorize any other person, including persons who deal in Moyer Diebel dishwashing machines, to change this warranty or create any other obligation in connection with Moyer Diebel dishwashing machines.



3765 Champion Boulevard  
Winston-Salem, NC 27105  
Tel: 336/661-1992  
Fax: 336/661-9546  
www.moyerdiebel.com

# 2011 Price List

**Price Schedule** Effective May 1, 2011 Supersedes all previous lists

## Terms and Conditions of Sale

- 1. TERMS.** Moyer Diebel is referred to herein as "Seller." The purchaser of the machine(s) and/or part(s) subject hereto ("Property") is referred to as "Buyer."

No terms or conditions other than those stated shall be applicable to the sale of the Property unless incorporated as part of the order or quotation constituting a part of the Purchase Agreement described below. Any order for Property, and the sale thereof by the Seller to the Buyer, shall be governed by the North Carolina Uniform Commercial Code, by the agreement of the parties, and by any applicable policy statement issued by the Seller.

- 2. PURCHASE AGREEMENT.** Any order for or offer to purchase the Property, excluding parts, shall not be binding on the Seller unless it is accepted in writing by the Seller's acknowledgment reflecting such acceptance. When so accepted it shall be binding in accordance with these Terms and Conditions of Sale. No modifications shall be permitted unless agreed to in writing by the parties. Unless otherwise specifically agreed to in writing, any delivery or shipping date shown, or mentioned by the Seller, is furnished only for the convenience of the Buyer, is estimated, and is not a date by which the Seller has agreed to ship or deliver the Property; provided, however, after production of a machine, payment for the machine is due within terms, unless Seller otherwise agrees.

Change orders for the Property will not be permitted without the Seller's consent. The Seller may impose a charge in connection with any change order that the Seller accepts.

Each shipment or delivery is subject to Seller's approval of Buyer's creditworthiness including, without limitation, determination that Buyer is not in default on any obligations to Seller.

- 3. PRICES.** Unless otherwise agreed: (i) all machine prices will be F.O.B. Destination, Continental, USA, (ii) all parts prices will be F.O.B. Factory, (iii) and all sales are subject to the terms and pricing of the applicable policy in effect on the date that the order for the Property is accepted. All invoices not paid within 30 days of the date of their issue shall be subject to a delinquency charge of 1.5% per month (.0041095% per day), or such lesser amount as may be the maximum rate permitted by law. Buyer agrees to pay all costs of collection including such reasonable attorney's fees as may be allowed by law.

- 4. DELIVERY.** If a delivery is ex. works, shipment of the Property will be in accordance with Buyer's instructions when reasonable and practical. In the absence of shipping instructions on F.O.B. Factory, or in the case of F.O.B. Destination, Seller may ship by such method or carrier as Seller may deem reasonable. For F.O.B. Factory shipments, the risk of loss of Property shall pass to the Buyer upon delivery of the Property to a public carrier. ("F.O.B." means "F.O.B." as defined in the Uniform Commercial Code.)

The Seller shall not be liable for failure in the delivery of the Property as a result in whole or in part, of fire, flood, tornado, hurricane or other acts of God; because of any casualty, accident, embargo, strike, lockout, work stoppage, war or government regulation; or for

any other reason beyond the Seller's reasonable control including, but not limited to, late delivery, or nondelivery, of any part or component of the Property that is the subject hereof.

- 5. DISCLAIMER OF WARRANTIES AND LIMITATIONS OF DAMAGES.** *Machines and parts are warranted only to the extent reflected in the separate manufacturer's limited warranty provided. The seller makes no other warranties, express or implied, including, but not limited to, any warranty of merchantability, or fitness of purpose. The seller shall not be liable to buyer for incidental or consequential damages.* In case of a breach by the Seller, the Buyer's exclusive remedy shall be, at the Seller's option, repair or replacement, or the return of the machine to the Seller and refund to the Buyer of the purchase price. In no event shall the Seller's liability exceed the purchase price of the machine.

- 6. MACHINE AND SPECIAL PARTS ORDER CANCELLATION AND RETURN.** Buyer acknowledges that the Seller will have incurred costs in connection with the sale of a machine or special parts order, that if the machine or special parts order is sold by the Seller pursuant to a confirmed order, that Buyer's failure to accept delivery of a machine or special parts order as to which Seller has given its acceptance will result in damage to the Seller which will be difficult to ascertain; and that liquidated damages as follows are reasonable and will be paid by the Buyer if the machine or special parts order is not purchased or returned in new condition.

- (a) As to standard machines, the Buyer will pay the Seller, as liquidated damages, 25% of the agreed price of the machine.
- (b) As to all other machines and special parts orders, the Buyer will pay the Seller, as liquidated damages, the following percentages of the agreed price of the machine or special parts order:
  - i. 25% of the agreed price upon cancellation before production of the machine or special parts order begins,
  - ii. 35% of the agreed price after production of the machine or special parts order has begun, and before the machine or special parts order is substantially completed, and
  - iii. 50% of the agreed price after substantial completion or return of the machine or special parts order in new condition.

- 7. DISPUTE RESOLUTION.** Any unresolved dispute arising in connection herewith shall be resolved by arbitration in Winston-Salem, North Carolina, under the rules of the American Arbitration Association, and judgement upon the award rendered by the arbiter(s) may be entered in any court.

- 8. GENERAL PROVISIONS.** The sale of the Property herein identified shall be governed by the law of North Carolina. Failure or delay of the Seller in exercising any right, power or privilege shall not operate as a waiver of any such right, power or privilege. If any portion of these Terms and Conditions of Sale shall be held to be invalid or unenforceable, all other provisions shall nevertheless remain valid and enforceable in accordance with their terms.

To Order Call 800/228-8350 • Fax 336 / 661-9546 • [www.moyerdiebel.com](http://www.moyerdiebel.com)

In line with policy to continually develop and improve its products, Moyer Diebel reserves the right to change specifications and designs without notice.

